

Quality
Industrial Rubber Goods
Since 1921



Potomac RUBBER COMPANY, INC.


Potomac Rubber Company • 9011 Hampton Overlook • Capitol Heights, MD 20743
Tel: 301-336-7400 • Fax: 301-350-6543 • info@potomacrubber.com • www.potomacrubber.com

Potomac RUBBER COMPANY INC.

HAND PROTECTION


GENERAL PURPOSE

LEATHER PALM



STD. DUTY
#10202
HEAVY DUTY
10WA501

FOR HEAVY DUTY USE
METAL WORK, STONE
WORK,
MATERIAL HANDLING.



TRU-TOUCH AMBI ALL-PURPOSE VINYL

Ideal for general, light duty uses. .0065" green vinyl is seamless, strong, liquidproof. Fits either hand. Disposable or reusable. Sulphur-free. S, M, L, Ex-L.

34-100 Dispenser Box: Contains 100 gloves of one size.



MF-300
POWDERFREE LATEX EXAM GLOVE


THE SURGEON'S-TYPE LATEX GLOVE
DESIGNED FOR INDUSTRIAL USE
HYPOALLERGINIC, AMBI- FIT, WITH TEXTURE GRIP
SIZES MED, LARGE & XLG



SG-375
POWDER-FREE LATEX
TEXTURED FINISH
SIZES , MED, LG & EX LG

HAND PROTECTION

LIQUID & CHEMICAL




TAN RUBBER

PREMIUM UNSUPPORTED

Embossed grip. Soft, cotton flock lining. "Case hardened" for extra resistance to abrasion, acids, alkalies, salts, ketones. Curved fingers, contoured palm. U.S.D.A. accepted.

26-665 .018" gauge, 13" length. Pinked cuff. Sizes 7-8-9-10-11.



NEOX[®]

NEOPRENE COATED

Industrial weight coating. Resists snagging, cutting, acids, caustics, solvents. Curved fingers, wing thumb. Color: black.

9-928 18" fully coated gauntlet. Men's size.



G3112


HEAVY DUTY PVC COATING ON JERSEY LINING WITH DOUBLE DIPPED SANDPAPER FINISH ON THE HAND AREA. LIQUIDPROOF WITH EXCELLENT WET DRY HANDLING



N-54

HEAVY DUTY MILLED NEOPRENE GLOVE

NEOPRENE SURFACE PROVIDES SUPERIOR CHEMICAL AND WEAR RESISTANCE, RELIABLE HAND PROTECTION AGAINST A BROAD RANGE OF CHEMICALS AND FLUIDS. RESISTS DETERIORATING EFFECTS OF OILS, ACIDS GREASES, FATS, GASOLINE, KEROSENE AND OTHER PETROLEUM DERIVATIVES




GOLDEN GRAB-IT®

CRINKLE-FINISHED RUBBER

Gold-colored, heavy-duty, crinkle-textured coating provides superior grip and cut resistance. Ideal for handling glass, sheetmetal, and tin plate.

16-307 Palm coated safety cuff. Men's size.




HYCRON

NBR COATED

Blue NBR coating gives superior service handling rough, abrasive items. Excellent flexibility, dry grip. Replaces leather and other coated gloves. Soft, 2-piece jersey lining. Curved fingers, wing thumb.

27-602 Fully coated knitwrist. Men's size.




23-152

WINTER MONKEY GRIP

FOAM INSULATED

Foam insulation keeps hands warm. Tough vinyl coating is liquidproof, stays soft when cold. Resists abrasion, oil and many chemicals. Curved fingers, wing thumb.

23-152 12' fully coated gauntlet. Men's size.



WINTER FIREBALL®

FLUORESCENT/FOAM INSULATED

Foam insulation keeps hands warm. Super visible fire-orange color provides extra safety. Liquidproof vinyl coating stays soft when cold. Curved fingers, wing thumb.

23-491 Fully coated knitwrist. Extra long elastic wrist. Men's size.

LINESMEN EQUIPMENT

LINEMEN'S HIGH VOLTAGE GLOVES

Steam-cured natural rubber gloves with curved hand design, give superior electrical protection and maximum comfort in high voltage work.

Catalog Number	Length	Class Number	Test Voltage	A.C. Maximum Use Voltage**
E-1-14-B	14"	1	10KV	7,500
E-2-14-B	14"	2	20KV	17,000
E-3-14-B	14"	3	30KV	26,000
E-1-16-B	16"	1	10KV	7,500
E-2-16-B	16"	2	20KV	17,000
E-3-16-B	16"	3	30KV	26,000
E-1-18-B	18"	1	10KV	7,500
E-2-18-B	18"	2	20KV	17,000
E-3-18-B	18"	3	30KV	26,000
*E-4-18-B	18"	4	40KV	36,000



Suffix "B" designates Black (one color). To order Red and Black (two color) replace suffix "B" with "RB", e.g. E-1-14-RB.


Above gloves available in sizes 9, 9½, 10, 10½, 11 and 12.

*Class 4 gloves available in sizes 10, 10½, 11 and 12.

Above gloves available with Flare Cuff. Some are also available with Contour Cuff.

GLOVE PROTECTORS

Grain leather protectors. Gunn cut, reinforced strip in thumb crotch, pull-tab, non-metallic strap buckle combination; palm portion of cuff is special leather, back side is fluorescent orange vinyl-coated fabric. Same quality features are also available in Low Voltage Protectors except shirred elastic in place of strap and buckle (no gauntlet).



Model LPP-10

Model LPP-7C

Catalog Number	Description	Length
LP-3S	Standard, Cowhide	12"
LP-5S	Standard, Cowhide	14"
LP-7C	Contour, Cowhide	16"
LPP-3S	Standard, Pigskin	12"
LPP-5S	Standard, Pigskin	14"
LPP-7C	Contour, Pigskin	16"
LP-10	Low Voltage, Cowhide	10"
LPP-10	Low Voltage, Pigskin	10"

GLOVE INNERLINERS

Knitted fabric innerliners absorb moisture, eliminate rubber contact.


Catalog Number	Length
IL-1	11"
IL-1K	11" Knit Wrist
IL-4	14"



LOW VOLTAGE GLOVES

For circuits up to 1000V, lightweight natural rubber 10½" glove in sizes 9 through 12, including half sizes in black.

Catalog Number	Class	Test Voltage
E-0-10-B	0	5KV



LINEMEN'S SLEEVES

Natural rubber linemen's sleeves are seamless, hand-dipped for flexibility. Meet ANSI/ASTM

requirements in four classes: 10KV, 20KV, 30KV, 40KV.

Catalog Number	Length	Size	Class Number	Test Voltage	A.C. Maximum Use Voltage**
1-RG	26¼"	Regular	1	10KV	7,500
1-LG	28½"	Large	1	10KV	7,500
1-XLG	30"	Extra Large	1	10KV	7,500
2-RG	26¼"	Regular	2	20KV	17,000
2-LG	28½"	Large	2	20KV	17,000
2-XLG	30"	Extra Large	2	20KV	17,000
3-RG	26¼"	Regular	3	30KV	26,000
3-LG	28½"	Large	3	30KV	26,000
3-XLG	30"	Extra Large	3	30KV	26,000
4-RG	26¼"	Regular	4	40KV	36,000
4-LG	28½"	Large	4	40KV	36,000
4-XLG	30"	Extra Large	4	40KV	36,000

To order Red & Black (2 color) sleeves, add suffix "RB", e.g. 2-LG-RB.


SLEEVE STRAP, HARNESS, AND BUTTONS

Catalog Number	Description
SS-1	Standard Sleeve Strap (2 required per pair of sleeves)
SH-1	Sleeve Harness (1 required per pair of sleeves)
SB-1	One piece button (4 required per pair of sleeves)
SB-4	Orange vinyl screw type button (4 required per pair of sleeves)

BLANKETS

- Polyisoprene "natural synthetic" blanket gives dependable protection and high dielectric strength.

- Non-conductive, corona-proof EPDM synthetic rubber blanket resists aging.



Catalog Number	Material	Size	Color	No. of Eyelets	Design	Class
CB-36	Polyisoprene	36" x 36"	Black	*8 or 28	Standard	2
CB-2736	Polyisoprene	27" x 36"	Black	8	Standard	2
CB-36-S	Polyisoprene	36" x 36"	Black	32	Slotted side	2
CB-36-EB	EPDM	36" x 36"	Black	8	Standard	4
CB-36-EO	EPDM	36" x 36"	Orange	8	Standard	4
CB-2736-EO	EPDM	27" x 36"	Orange	8	Standard	4
CB-36-S-EO	EPDM	36" x 36"	Orange	32	Slotted side	4

*Orders should specify number of eyelets desired

**A.C. Maximum Use Voltage in accordance with ASTM specifications, refers to (1) the phase-to-phase voltage on multi-phase circuits or (2) the phase-to-ground voltage on single phase (grounded) circuits.

GLOVE BAGS & SLEEVE ROLL

Heavy-duty canvas duck glove bags store linemen's gloves without folding, snap to belt. Four sizes correspond to glove lengths . . . 10½", 14", 16", 18". Combination glove and sleeve bag stores gloves, sleeves without folding; only for daily use. Sleeve roll stores sleeves without folding, can be hung in truck.

